



# JIANGYIN WENMING PHYSICAL PLASTIC CO., LTD.

WEST STREET, CHANGJING TOWN, JIANGYIN, JIANGSU, CHINA

Tell: +86-13812135250

Sports Track & Field Expert: Jason Zhang

[www.facebook.com/sportfieldexpert](http://www.facebook.com/sportfieldexpert)

[www.sportsbuilder.cn](http://www.sportsbuilder.cn)


**(Warranty :5 years )**



Water Permeability Spray-coat System Standard consumption reference data sheet (IAAF thickness)

Athletic Running Track Material 15 mm		Quantity (KG/M2)	Unit price (USD/KG)	Amount (USD)	Reference major installation pic
Primer Layer	PU binder 9006A	0.250	2.600	0.650	
Base Rubber Layer	1-4mm Recycle SBR granule	8.500	0.200	1.700	
	PU binder 9006A	1.700	2.600	4.420	
Surface Spray-coat layer	<b>Red PU Spray-coat material :</b> Red color paste component 9001BR mix binder component 9001A in weight 9001BR:9001A=1:2	1.200	2.650	3.180	
	<b>Red</b> 0.5-1.5mm EPDM granule	1.000	1.050	1.050	
Line mark	White PU 3:1 Lining material 9020:9021=3:1	0.020	4.500	0.090	
Total FOB Shanghai cost per SQM				11.090	Need good quality subbase finished and Maintanenced well
Machinery :Paver +Mixer +Sprayer +Line mark machine +Heating roll and tools				15000	380v/3ph/50hz

Installation technical support :USD100/day/man (need two man ,include line mark )



Encapsulated Sandwich with Spray-coat top layer 's System Standard consumption reference data sheet (IAAF thickness)

Athletic Running Track Material 15 mm		Quantity (KG/M2)	Unit price (USD/KG)	Amount (USD)	Reference major installation pic
Primer Layer	PU binder 9006A	0.250	2.600	0.650	
Base Rubber Layer	1-4mm Recycle SBR granule	8.000	0.200	1.600	
	PU binder 9006A	1.600	2.600	4.160	
Seal and middle layer	<b>Red Full Pu 4:1 track material :</b> Red color paste component 9004BR mix binder component 9004A in weight with catalyst 9011C(0.55-1%) 9004BR:9004A:9011C=4:1:0.05(min)	4.500	1.500	6.750	
	Eco Catalyst 9011C	0.045	7.000	0.315	
	Red EPDM powder	0.300	0.800	0.240	
Surface Spray-coat layer	<b>Red PU Spray-coat material :</b> Red color paste component 9001BR mix binder component 9001A in weight 9001BR:9001A=1:2	1.200	2.650	3.180	
	Red 0.5-1.5mm or 1-3 mm EPDM gr	1.100	1.050	1.155	
White Line mark	White PU 3:1 Lining material 9020:9021=3:1	0.020	4.500	0.090	






Total FOB Shanghai cost per SQM	18.140	Need good quality subbase finished and Maintanenced well
Machinery :Paver +2 type Mixer +Sprayer +Grinding machine +Line mark machine +Heating roll and tools	18000	
Installation technical support :USD100/day/man (need two man ,include line mark )		









EPDM broadcast Sandwich System Standard consumption reference data sheet(IAAF thickness)

Athletic Running Track Material 15 mm		Quantity (KG/M2)	Unit price (USD/KG)	Amount (USD)	Reference major installation pic
Primer Layer	PU binder 9006A	0.250	2.600	0.650	
Base Rubber Layer	1-4mm Recycle SBR granule	8.000	0.200	1.600	
	PU binder 9006A	1.600	2.600	4.160	
Seal layer	<b>Red Full Pu 4:1 track material :</b> Red color paste component 9004BR mix binder component 9004A in weight with catalyst9011C(0.55-1%) 9004BR:9004A:9011C=4:1:0.05(min)	2.000	1.500	3.000	
	Eco Catalyst 9011C	0.020	7.000	0.140	
	<b>Red</b> EPDM powder	0.300	0.800	0.240	
Coating and surface layer	<b>Red Full Pu 4:1 track material :</b> 9004BR:9004A:9011C=4:1:0.05	3.500	1.500	5.250	
	Eco Catalyst 9011C	0.035	7.000	0.245	
	<b>Red</b> EPDM Granule 1-4mm	4.000	1.150	4.600	



Line mark	White PU 3:1 Lining material 9020:9021=3:1	0.020	4.500	0.090	
Total FOB Shanghai cost per SQM				19.975	Need good quality subbase finished and Maintanaced well
Machinery :Paver +2 type Mixer +Grinding machine +Line mark machine +Heating roll and tools				15000	380v/3ph/50hz
Installation technical support :USD100/day/man (need two man ,include line mark )					
					
EPDM broadcast Full-PU System Standard consumption reference data sheet(IAAF Thickness)					
Athletic Running Track Material 15 mm (Asphalt Subbase )		Quantity (KG/M2)	Unit price (USD/KG)	Amount (USD)	Reference major installation pic
Seal layer	Special latex sealing material (add sand and Composite portland cement by 1:1:1 for sealing ) WM-111	0.500	2.000	1.000	
Full-Pu layer	<b>Red Full Pu 4:1 track material :</b> Red color paste component 9004BR mix binder component 9004A in weight with catalyst9011C(0.55-1%) 9004BR:9004A:9011C=4:1:0.05(min)	13.500	1.500	20.250	
	Eco Catalyst 9011C	0.135	7.000	0.945	
	1-4mm Recycle SBR granule	6.000	0.200	1.200	
					

Top layer	Red 1-4mm EPDM granule	4.000	1.150	4.600	
Line mark	White PU 3:1 Lining material 9020:9021=3:1	0.020	4.500	0.090	
Total FOB Shanghai cost per SQM				28.085	Need good quality subbase finished and Maintanenced well
Machinery :Special Mixer + 2 type Grinding machine +Line mark machine +tools				8000	380v/3ph/50hz
Installation technical support :USD100/day/man (need three man ,include line mark )					
					
EPDM/SBR SMOOTH RUBBER SYSTEM Standard consumption reference data sheet					
Athletic Running Track Material 15 mm		Quantity (KG/M2)	Unit price (USD/KG)	Amount (USD)	Reference major installation pic
Primer Layer	PU binder 9006A	0.250	2.600	0.650	
Base Rubber Layer 8mm	1-4mm Recycle SBR granule	7.000	0.200	1.400	
	PU binder 9006A	1.400	2.600	3.640	
EPDM layer 7mm	1-4mm EPDM granule	8.000	1.100	8.800	
	PU binder 9006A	1.600	2.600	4.160	

Line mark	White PU 3:1 Lining material 9020:9021=3:1	0.020	4.500	0.090	
Total FOB Shanghai cost per SQM				18.740	Need good quality subbase finished and Maintanaced well
Machinery :Paver + Mixer +Line mark machine +Heating roll and tools				12000	380v/3ph/50hz
Installation technical support :USD100/day/man (need two man ,include line mark )					
<p>Notice :</p> <ol style="list-style-type: none"> <li>1 All the concrete and asphalt sub-base should be high quality like high speed road with drainage system.</li> <li>2 Suitable for outdoor field .The consume sheet is according our IAAF certificated system thickness .</li> <li>3 We can guarantee the project quality (get field certificated )with our technical supervisor installation with our machinery and tools .</li> <li>4 Special color need advise in advance for new quotation .</li> </ol>					
<p><b>BANK DETAIL :</b>  <b>BENEFICIARY BANK: BANK OF CHINA, JIANGYIN SUB-BRANCH</b>  <b>NO.1 MIDDLE RENMIN ROAD, JIANGYIN CITY,</b>  <b>JIANGSU, P.R. CHINA</b>  <b>SWIFT CODE: BKCHCNBJ95C</b>  <b>BENEFICIARY:</b>  <b>NAME: JIANGYIN WENMING PHYSICAL PLASTIC CO.,LTD</b>  <b>ADDRESS:NO.15,GONGQING ROAD, CHANGJIN TOWN, JIANGYIN CITY.</b>  <b>ACCOUNT NO: 470258210520</b></p>					