



www.sportsbuilder.cn

POLYURETHANE MATERIAL QUOTATION FOR SYNTHETIC TRACK AND FIELD

Price Effective time :2019 MAY-JUNE				
Product name	Description	Unit price (FOB SHANGHAI)	Remark	Consume
Single component PU BINDER 9006A	Can be as Primer for concrete /asphalt base and as binder to mix with rubber granule for elastic base layer pavement	USD2.60/KG	200-210KG/drum One component	18-20% of Rubber Granule
Single component PU BINDER 9006A+	Can be as Primer for concrete /asphalt base and as binder to mix with rubber granule for elastic base layer pavement	USD2.65/KG	200-210KG/drum One component	18-20% of Rubber Granule
Single component PU BINDER 9001A(more strong)	Can be as Primer for concrete /asphalt base and as binder to mix with rubber granule for elastic base layer pavement	USD2.70/KG	200-210KG/drum One component	18-20% of Rubber Granule
Special Single component PU BINDER	For rubber tile production under high temperature and pressure	USD2.75/KG	20/200KG/drum One component	According to formula
	Aliphatic Binder (HDI based)	USD6.00/KG	20/200KG/drum One component	18-20% of Rubber Granule
	Gravel binder	USD6.00/KG	20/200KG/drum One component	Mix stone

<p>Red PU SPRAY-COAT TRACK MATERIAL 9001BR(Red color paste) 9001A(special binder) (PRODUCT RECOMMENDED)</p>	<p>Should be mixed on the living project . For example: 1KG red color paste+2KG special PU binder This kind of PU material is specially for spray-coat system of running track or other kind of track or field resurface work .</p>	<p>USD2.65/KG</p>	<p>20KG/drum (color paste) 200-210KG/drum(special binder)</p> <p><i>One component but in separately package</i> <i>Mix rate :</i> <i>9001BR red color paste :9001A special binder =1:2 in weight</i></p>	<p>1.1~1.2KG/M2/3MM</p>
<p>Red PU FULL-PU TRACK MATERIAL 9004BR(Red color paste) 9004A(special binder) 9011(Catalyst)</p>	<p>Should be mixed on the living project site .For example, 4KG red color paste+1KG PU special binder+0.5-1% catalyst</p> <p>This kind of PU material is for sandwich/full pu system of athletic track and field .</p>	<p>USD1.50/KG</p>	<p>250Kg/drum(color paste) 200-210KG/drum(special binder) 20Kg or 200Kg/drum(catalyst)</p> <p><i>Two component with eco-friendly catalyst</i> <i>Mix rate :</i> <i>9004BR red color paste :9004A special binder =4:1 in weight and add 0.5-1% catalyst of mixed material</i></p>	<p>1.35KG/M2/MM</p>
<p>White Line marking material 9020(White color paste) 9021(curing agent)</p>	<p>White,3 component white color paste +1 component curing agent</p>	<p>USD4.50/KG</p>	<p>20Kg/drum(color paste) 20Kg/drum(catalyst)</p> <p><i>Two component</i> <i>Mix rate :</i> <i>9020 white color paste :9021 curing agent =3:1 in weight</i></p>	<p>0.15-0.20KG/M2</p>
<p>Eco Thinner (CAC)</p>	<p>For PU 4:1 track material or clean machine</p>	<p>USD2.00/KG</p>	<p>20-200KG/drum</p>	<p>5% of mixed material</p>
<p>Si-PU primer layer material WM-01</p>	<p>For concrete sub-base only</p>	<p>USD3.00/KG</p>	<p>15Kg/drum One component</p>	<p>0.30~0.40KG/M2</p>

Infill glue	Si-PU elastic layer material	USD1.60/KG	27Kg/drum One component	0.06KG/M2
Si-PU Seal layer material WM-111	Special Si-PU sealing material, apply on Asphalt ,rubber base ,rubber mat subbase (add sand and Composite portland cement according to 1:1:1 for good sealing)	USD2.00/KG	20Kg/drum One component	0.50~1.00KG/M2
Si-PU Elastic layer material WM-02	For kinds of Sport court 's middle layer coating ,light green .Fit catalyst in each drum for help curing .	USD1.60/KG	27Kg/drum One component	1.40-1.45KG/M2/MM
Si-PU Strengthen layer material (Interface agent material) WM-03	As interface agent material for strong stickiness for surface layer ,light green or other color .	USD3.00/KG	15Kg/drum One component	0.30KG/M2
Eco Thinner	For Si-PU elastic layer material and Si-PU strengthen layer material	USD2.00/KG	3KG/bottle to put in the Si-PU elastic layer material drums	10% of mixed material
Si-PU Surface layer material WM-04(color paste) 9012(curing agent)	Water based ,custom design color,9 component color paste +1 component curing agent	USD4.50/KG	20Kg/drum(18KGcolor paste +2KG curing agent) Two component	0.3~0.40KG/M2

Sports Track & Field Expert

Jason Zhang (ZHANG ZHIPENG)

Director/Sales/Quality Control

Whatsapp/M.P:+86 13812135250 ; Skype:Jasonpp1003

Email : sportfieldexpert@wenmin.com.cn ;

sportsbuilder@foxmail.com; trackandfield@sportsbuilder.cn

www.facebook.com/sportfieldexpert ; https://jasonzhangsportsbuildercn.en.ecplaza.net/

www.sportsbuilder.cn ; www.wenmin.com.cn;